OFFICE OF NAVAL RESEARCH

CONTRACT N00014-95-1-0028

R&T Code 4131D02

Dr. Richard S. Miller

Technical Report No. 80

A Density Functional Analysis of a Decomposition of 4-Nitro-1,2,3-Triazole

through the Evolution of N2

by

Peter Politzer, M. Edward Grice and Jorge M. Seminario

Department of Chemistry
University of New Orleans
New Orleans, LA 70148

March 20, 1994

REPORT DOCUMENTATION PAGE

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE AND DATES COVERED
	March 20, 1995	Preprint of article

4. TITLE AND SUBTITLE

A Density Functional Analysis of a Decomposition of 4-Nitro-1,2,3-triazole through the Evolution of N_2

5. FUNDING NUMBERS

N00014-95-I-0028

Dr. Richard S. Miller

R&T Code 4131D02

6. AUTHOR(S)

Peter Politzer, M. Edward Grice and Jorge M. Seminario

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

University of New Orleans
Department of Chemistry
New Orleans, Louisiana 70148

8. PERFORMING ORGANIZATION REPORT NUMBER

80

9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)

Office of Naval Research
Code 333
800 N. Quincy Street
Arlington, VA 22217

10. SPONSORING / MONITORING AGENCY REPORT NUMBER

Accesion For

NTIS CRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	

By _____
Distribution /

Availability Codes

Dist	Avail and / or Special
A-1	

11. SUPPLEMENTARY NOTES

12a. DISTRIBUTION / AVAILABILITY STATEMENT

Approved for public release.
Unlimited distribution

12b. DISTRIBUTION CODE

13. ABSTRACT (Maximum 200 words)

A density functional computational study shows that 4-nitro-1,2,3-triazole, which is highly impact sensitive, can decompose through ring opening and subsequent N_2 evolution, with the net release of 12 kcal/mole. An input of 52 kcal/mole is required to initiate the process.

14. SUBJECT TERMS

4-nitro-1,2,3-triazole; N_2; density functional computation; impact sensitivity

15. NUMBER OF PAGES

7

16. PRICE CODE

17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT
Unclassified	Unclassified	Unclassified	Unlimited

Introduction

There is currently considerable interest in high-nitrogen-content molecules as energetic materials.[1-17] A matter for potential concern, however, is the instability or sensitivity toward shock and/or impact that is frequently associated with the presence of several linked nitrogens.[18] In some instances, for example certain picryl triazoles, it has been suggested that this instability is due to the availability of a relatively facile decomposition pathway involving the loss of N_2.[19]

We have accordingly investigated computationally the energetics of an N_2 evolution process in the case of the nitrotriazole **1**, which is known experimentally to be highly sensitive toward impact.[20] It has several tautomeric forms, as shown.

     1A   **1B**   **1C**

For **1A** and **1C**, one can envision decomposition routes through ring opening to give the intermediates **1A*** and **1C***,[21] followed by the loss of N_2. This could leave either a singlet or a triplet product, and we have examined both possibilities in each case. The formation of the singlet products was found to involve transition states **TS1** and **TS2**.

(1)

     1A   **1A***

(2)

     1C   **1C***

Method

We have computed optimized geometries and energies for **1A, 1B, 1C, 1A*, 1C*, 2, 3, 4, 5, TS1** and **TS2** with the density functional option of the code Gaussian 92/DFT, revision G.2,[22] using the Becke exchange[23] and the Perdew correlation[24] functionals and a 6-31G (d,p) basis set. The effectiveness of these functionals has been established through extensive comparisons with experimental and *ab initio* correlated studies.[25-34] Zero-point energies were also determined. It was verified, by the absence of imaginary vibrational frequencies, that **1A, 1B, 1C, 1A*, 1C*** and **2 - 5** all correspond to energy minima. **TS1** and **TS2** each have one imaginary frequency, confirming that they are transition states.

Results and Discussion

The resulting total and zero-point energies are given in Table 1, and the ΔE values for the individual steps in eqs. (1) and (2) are in Table 2. The energies of the tautomeric pair **1A** and **1C** are virtually equal (differing by only 0.6 kcal/mole) as are those of **1A*** and **1C*** (difference = 0.006 kcal/mole). Accordingly the energetics of the initial steps in eqs. (1) and (2), opening the triazole ring, are essentially identical, requiring an energy input of approximately 16 kcal/mole (Table 2).

The loss of N_2 from either **1A*** or **1C*** to form the triplet product **2** or **4** is simply a bond-breaking process; $\Delta E = +32.4$ and $+39.5$ kcal/mole, respectively (Table 2).

2   **4**

The formation of the singlet products **3** and **5**, on the other hand, involves structural rearrangements in which one of the oxygens of the nitro group migrates to the carbon from which the N_2 is leaving. This was found to proceed through the transition states **TS1** and **TS2**, as shown in eqs. (3) and (4). Table 2 shows that the energy barriers to these transition states, **1A*** $\rightarrow$ **TS1** and **1C*** $\rightarrow$ **TS2**, are $+38.0$ and $+32.4$ kcal/mole, respectively. Overall, however, the reactions represented by eqs. (3) and (4) release energy; for **1A*** $\rightarrow$ **3** + N_2, $\Delta E = -31.6$ kcal/mole, and for **1C*** $\rightarrow$ **5** + N_2, $\Delta E = -31.3$ kcal/mole.

(3)

1A*   TS1   3

(4)

1C*   TS2   5

An additional factor to be considered is the third tautomer, **1B**. It is prevented, for structural reasons, from forming an analog of **1A*** (and **1C***). However Table 2 shows that **1B** is about 3 kcal/mole more stable than **1A** and **1C**. We must therefore assume that there is a preference for the nitrotriazole **1** to exist as the tautomer **1B**.

Conclusion

On the basis of this study, we suggest that one plausible decomposition route for **1**, which could for example follow shock or impact, is that represented by eq. (5):

$$\mathbf{1B} \longrightarrow \mathbf{1C} \longrightarrow \mathbf{1C*} \longrightarrow \mathbf{TS2} \xrightarrow{-N_2} \mathbf{5} \qquad (5)$$

The first three steps in eq. (5) require $2.8 + 16.4 + 32.4 = 51.6$ kcal/mole of energy; however the overall ΔE is -12.1 kcal per mole of **1B**. The energy that must be provided to initiate this process is less than that typically needed to rupture a C–NO$_2$ linkage,[35-38] which is believed to be the first step in the decomposition of many energetic materials.[35,39-45] Furthermore, the reaction in eq. (5) results in the release of a significant amount of energy which can be used to promote further

decomposition. This appears, therefore, to be a reasonable interpretation of the high sensitivity that has been observed for the nitrotriazole **1**.[20]

Acknowledgment:

References

(1)   Kaneti, J.; Hoesch, L.; Dreiding, A. S. *Helvetica Chimica Acta* **1986**, *69*, 1461.

(2)   Mo, O.; de Paz, L. G.; Yáñez, M. *J. Phys. Chem.* **1986**, *90*, 5597.

(3)   Hilpert, H.; Hoesch, L.; Dreiding, A. S. *Helvetica Chimica Acta* **1987**, *70*, 381.

(4)   Magers, D. H.; Salter, E. A.; Bartlett, R. J.; Salter, C.; Hess, B. A.; Schaad, L. J. *J. Am. Chem. Soc.* **1988**, *110*, 3435.

(5)   Engelke, R. *J. Phys. Chem.* **1989**, *93*, 5722.

(6)   Alcamí, M.; de Paz, J. L. G.; Yáñez, M. *J. Comp. Chem.* **1989**, *10*, 468.

(7)   Ritter, G.; Häfelinger, G.; Lüddecke, E.; Rau, H. *J. Am. Chem. Soc.* **1989**, *111*, 4627.

(8)   Catalán, J.; Sánchez-Cabezudo, M.; de Paz, J. L. G.; Elguero, J.; Taft, R. W.; Anvia, F. *J. Comp. Chem.* **1989**, *10*, 426.

(9)   Engelke, R.; Stine, J. R. *J. Phys. Chem.* **1990**, *94*, 5689.

(10)   Engelke, R. *J. Phys. Chem.* **1990**, *94*, 6924.

(11)   Nguyen, M. T. *J. Phys. Chem.* **1990**, *94*, 6923.

(12)   Thomas, J. R.; Quelch, G. E.; Schaefer, H. F., III *J. Org. Chem.* **1991**, *56*, 539.

(13)   Ferris, K. F.; Bartlett, J. *J. Am. Chem. Soc.* **1992**, *114*, 8302.

(14)   Engelke, R. *J. Org. Chem.* **1992**, *57*, 4841.

(15)   Ha, T.-K.; Nguyen, M. T. *Chem. Phys. Lett.* **1992**, *195*, 179.

(16)   Lauderdale, W. J.; Stanton, J. F.; Bartlett, J. *J. Phys. Chem.* **1992**, *96*, 1173.

(17)   Janoschek, R. *Angew. Chem. Int. Ed. Engl.* **1993**, *32*, 230.

(18)   Benson, F. R. *The High Nitrogen Compounds*; Wiley-Interscience: New York, 1984.

(19)   Storm, C. B.; Ryan, R. R.; Ritchie, J. P.; Hall, J. H.; Bachrach, S. M. *J. Phys. Chem.* **1989**, *93*, 1000.

(20)   Storm, C. B.; Stine, J. R.; Kramer, J. F. In *Chemistry and Physics of Energetic Materials*; Bulusu, S. N., Ed.; Kluwer,: Dordrecht, The Netherlands, 1990, ch. 27.

(21)   We are indebted to Professor Joseph H. Boyer for this suggestion.

(22)   Frisch, M. J.; Trucks, G. W.; Schlegel, H. B.; Gill, P. M. W.; Johnson, B. G.; Wong, M. W.; Foresman, J. B.; Robb, M. A.; Head-Gordon, M.; Replogle, E. S.; Gomperts, R.; Andres, J. L.; Raghavachari, K.; Binkley, J. S.; Gonzalez, C.; Martin, R. L.; Fox, D. J.;

DeFrees, D. J.; Baker, J.; Stewart, J. J. P.; Pople, J. A. *GAUSSIAN 92/DFT, Revision G.2*; Gaussian, Inc.: Pittsburgh, PA, 1993.

(23)   Becke, A. D. *Phys. Rev. A* **1988**, *38*, 3098.

(24)   Perdew, J. P. *Phys. Rev.* **1986**, *B33*, 8822.

(25)   Fitzgerald, G.; Andzelm, J. *J. Phys. Chem.* **1991**, *95*, 10531.

(26)   Fan, L.; Ziegler, T. *J. Chem. Phys.* **1991**, *94*, 6057.

(27)   Sim, F.; Salahub, D. R.; Chin, S. *Int. J. Quantum Chem.* **1992**, *43*, 463.

(28)   Murray, C. W.; Laming, G. J.; Handy, N. C.; Amos, R. D. *Chem. Phys. Lett.* **1992**, *199*, 551.

(29)   Sim, F.; St. Amant, A.; Papai, I.; Salahub, D. R. *J. Am. Chem. Soc.* **1992**, *114*, 4391.

(30)   Seminario, J. M. *Chem. Phys. Lett.* **1993**, *206*, 547.

(31)   Johnson, B. G.; Gill, P. M. W.; Pople, J. A. *J. Chem. Phys.* **1993**, *98*, 5612.

(32)   Dobbs, K. D.; Dixon, D. A. *J. Phys. Chem.* **1994**, *98*, 4498.

(33)   Seminario, J. M. *Int. J. Quant. Chem, Quant. Chem. Symp.* **1994**, *28*, 655.

(34)   Johnson, B. G. In *Modern Density Functional Theory: A Tool for Chemistry*; Seminario, J. M. and Politzer, P., Eds.; Elsevier: Amsterdam, in press; Vol. 2,

(35)   Gonzalez, A. C.; Larson, C. W.; McMillen, D. F.; Golden, D. M. *J. Phys. Chem.* **1985**, *89*, 4809.

(36)   Wodtke, A. M.; Hintsa, E. J.; Lee, Y. T. *J. Phys. Chem.* **1986**, *90*, 3549.

(37)   Melius, C. F. In *Chemistry and Physics of Energetic Materials*; Bulusu, S. N., Ed.; Kluwer: Dordrecht, The Netherlands, 1990, ch. 3.

(38)   Saxon, R. P.; Yoshimine, M. *Can. J. Chem.* **1992**, *70*, 572.

(39)   Delpuech, A.; Cherville, J. *Propellants Explos.* **1978**, *3*, 169; **1979**, *4*, 121.

(40)   Sharma, J.; Owens, F. J. *Chem. Phys. Lett.* **1979**, *61*, 280.

(41)   Kamlet, M. J.; Adolph, H. G. In *Proc. 7th Symp. (Internat.) Detonations*; Office of Naval Research, Arlington, VA, 1981, p. 84.

(42)   Sharma, J.; Garrett, W. L.; Owens, F. J.; Vogel, V. L. *J. Phys. Chem.* **1982**, *86*, 1657.

(43)   Owens, F. J. *J. Mol. Struct. (Theochem)* **1985**, *121*, 213.

(44)   Owens, F. J.; Sharma, J. *J. Appl. Phys.* **1985**, *51*, 1494.

(45)   Murray, J. S.; Politzer, P. In *Chemistry and Physics of Energetic Materials*; Bulusu, S. N., Ed.; Kluwer: Dordrecht, The Netherlands, 1990, ch. 8.

Table 1. Calculated DFT energies, in hartrees.

System	Total energy, E	Zero-point energy, ZPE	E + ZPE
1A	–446.75903	+0.05933	–446.69970
1B	–446.76541	+0.06019	–446.70522
1C	–446.76004	+0.05933	–446.70071
1A*	–446.73015	+0.05563	–446.67452
1C*	–446.73074	+0.05623	–446.67451
2	–337.14470	+0.04314	–337.10156
3	–337.24779	+0.04418	–337.20361
4	–337.13425	+0.04405	–337.09020
5	–337.24743	+0.04433	–337.20310
N_2	–109.52670	+0.00536	–109.52134
TS1	–446.66559	+0.05158	–446.61401
TS2	–446.67360	+0.05078	–446.62282

Table 2. Energy changes corresponding to individual steps in reactions. Differences in zero-point energies are taken into account.

Process	ΔE, kcal/mole
1B $\rightarrow$ 1A	+3.5
1A $\rightarrow$ 1A*	+15.8
1A* $\rightarrow$ 2 + N_2	+32.4
1A* $\rightarrow$ TS1	+38.0
1A* $\rightarrow$ 3 + N_2	−31.6
1A $\rightarrow$ 3 + N_2	−15.8
1B $\rightarrow$ 1C	+2.8
1C $\rightarrow$ 1C*	+16.4
1C* $\rightarrow$ 4 + N_2	+39.5
1C* $\rightarrow$ TS2	+32.4
1C* $\rightarrow$ 5 + N_2	−31.3
1C $\rightarrow$ 5 + N_2	−14.9